


# Base Station Work Confirmation Form

12.8V6Ah



Nominal voltage (V):12.8  
Nominal capacity (ah):6  
Rated energy (WH):76.8  
Maximum charging voltage (V):14.6  
Maximum charging current (a):6  
Floating charge voltage (V):13.6~13.8  
Maximum continuous discharge current (a):10  
Maximum peak discharge current @10 seconds (a):20  
Maximum load power (W):100  
Discharge cut-off voltage (V):10.8  
Charging temperature (°C):0~+50  
Discharge temperature (°C): -20~+60  
Working humidity: <95% R.H (non condensing)  
Number of cycles (25 °C, 0.5c, 100%dod): >2000  
Cell combination mode: 32700-4s1p  
Terminal specification: T2 (6.3mm)  
Protection grade: IP65  
Overall dimension (mm):90\*70\*107mm  
Reference weight (kg):0.7  
Certification: un38.3/msds

## Base Station Work Confirmation Form

---



### Fort Benning , Directorate of Human Resources (DHR)

To request an out processing appointment contact your Unit S1 or Brigade S1; they will tell you what documents are needed to begin the process. Your S1 will forward your documents to the In/Out

[Learn More](#)

---

### GRA/GTA Work Location Confirmation Form Bradley Department ...

Please complete the form below and return the signed document to [bsemones@vt](mailto:bsemones@vt) no later than 8/10/21 to verify that you understand and agree to these conditions.



[Learn More](#)

---



### DLA Forms List

List of official DLA forms, along with links to download and learn more.

[Learn More](#)

---

## Base Access / Pass & ID

On Ap, the Navy began transitioning all vendors, contractors, sub-contractors, suppliers and service providers seeking base access to Defense Biometric Identification System (DBIDS).

[Learn More](#)



## Forms and Checklists

We have prepared standardized checklists, templates and forms for you to use. They are not all-inclusive but are intended to contain basic programmatic requirements that you need to look for .

[Learn More](#)

## AF Form 527E - 24-Hour Confirmation Of Station Support Requirements

The form is used to confirm that a tax-exempt organization has met the station support requirements set forth in section 4947 (a) of the Internal Revenue Code. This confirmation is required ...

[Learn More](#)



IP65/IP55 OUTDOOR CABINET

ALUMINUM

OUTDOOR ENERGY STORAGE CABINET

OUTDOOR EQUIPMENT CABINET

## DD Forms 2500-2999

If the form number does not have a hyperlink, the form is not available electronically. To obtain hard copies of current forms not available in electronic

format, please contact your own ...

[Learn More](#)



---

## Publications and Forms :: U.S. Army Installation Management Command

This link takes you to the HQ IMCOM Publications and Forms page, where you will find policies, guidance, regulations, forms and other documents. The page requires a CAC. Choose the ...

[Learn More](#)



## AF00103, 19940801

This form is used to coordinate the required work with key base activities and keep customer inconvenience to a minimum. It is also used to identify potentially hazardous work conditions in an ...

[Learn More](#)

---

## Contact Us

For catalog requests, pricing, or partnerships, please visit:  
<https://v4venison.co.za>

